



The kit includes: two Mini series door-entry phones art. 2702W, one transformer art. 1200, one Extra series external unit with 2 call buttons art. ET5002. The kit can be expanded with another door-entry phone for each user. The external unit can be surface-mounted or flush-mounted using the relevant accessories supplied with the kit.

AWARDS





5-WIRE TWO-FAMILY AUDIO KIT. EXTRA-MINI.

KIT PRODUCT



2702W

2-BUTTON MINI DOOR-ENTRY PHONE, TRADITIONAL

MINI series door-entry phone for traditional system with electronic call and key button. Call volume and privacy adjustment by means of 3-position selector. Privacy activation is indicated by a red light. Dimensions: 105x191x28 mm

MAIN FEATURES - 2702W	
Audio system:	Yes
Audio/video system:	No
Flush-mounted:	No
Wall-mounted:	Yes
Desk base-mounted:	Yes
Hands-free function:	No
Induction loop function:	No
Product colour:	White
Sensitive Touch technology:	No
Total buttons:	2



ET5002

Extra 4+N. series entrance panel kit. 2 buttons

Extra series external unit with 2 call buttons. Stainless steel cover and white nameplate backlighting. Complete with flush-mounted box and wall bracket. Dimensions $95 \times 135 \times 6.5 \text{ mm}$ (flush) - 25 mm (surface). 5-Wire cabling.

MAIN FEATURES - ET5002	
Type:	
Material:	Stainless steel cover
Audio system:	Yes
Flush-mounted:	Yes
Wall-mounted:	Yes
Power supply:	12 VDC
Maximum current absorption (mA):	267
Clamps:	Alt *Alt 2 3 4 S1 S2
Buttons to call:	Yes
Total buttons:	2
Microphone volume control:	Yes
Loudspeaker volume control:	Yes





5-WIRE TWO-FAMILY AUDIO KIT. EXTRA-MINI.

MAIN FEATURES - ET5002	
Operating temperature (°F):	-13 ÷ 131
IP protection rating:	IP54
Backlighting colour:	White



5-WIRE TWO-FAMILY AUDIO KIT. EXTRA-MINI.

ACCESSORIES



Flush-mounted box for Extra entrance panel kit

Flush-mounted box for Extra series external unit art. ET5001 - ET5002 - ET0001. Dimensions: $134.5 \times 93.5 \times 93.5$



ET9160

Wall bracket for Extra entrance panel kit

Wall housing for Extra series external unit art. ET5001 - ET5002 - ET0001. Dimensions: $94 \times 134 \times 19 \text{ mm}$



1229

ADDITIONAL CHIME

Additional chime for call repetition can be controlled directly from terminals S-and S+ off the brackets of the inside stations. Dimensions: 4.3"x3.0"x1.1Additional chime for call repetition can be controlled directly from terminals S-and S+ off the brackets of the inside stations. Dimensions: 4.3"x3.0"x1.1.

